

File preparation

Please read this page carefully to avoid complications and additional costs.

Submission deadline

The graphics order and submission deadline is **12.09.2025**

For any graphic orders received after this time, Performance Days shall charge an additional late order fee.

File formats

We require print-ready files in PDF format – either PDF/X-3 or PDF/X-4.

Files should have a scale of 1:1 or 1:10. When working at scale, note the following: 1:1–100 dpi ; 1:10–1,000 dpi.

Resolution

We require an optimum resolution of at least 120 dpi (scale 1:1).

Bleed margins

Please add a bleed margin of at least 25 mm around the edges of each file (scale 1:1) and a blank space of 10cm around all side with no text or motif.

Please do not include cutting marks, alignment marks or any other printing information.

Colours

Please always use the CMYK colour space in files.

Logos, text and graphics

Logos should be created as vector graphics. For logos consisting of an image, the file should be adapted to match the original format in terms of size.


Please convert all fonts into paths (including text embedded in a logo).

Please embed graphics in the PDF.
Safe EPS or TIFF always as a compressed file.
Please save an LZW with image compression and no data loss.

Quality assurance

In order to check the status of the layout, we ask for an authoritative and binding print-out or reference PDF.

STANDARD BOOTH



Full backwall


Graphic Dimensions:

A : Width 4870 mm x Height 2480 mm

B1 : Width 3960 mm x Height 1480 mm

B2 : Width 3960 mm x Height 1480 mm


Please add a **bleed margin of + 25 mm** to all edges of the file and **keep 10 cm of blank space** around all sides where there is no text or motif.



STANDARD BOOTH

PERFORMANCEDAYS

FUNCTIONAL FABRIC FAIR



Regular backwall


Dimensions:

A : Width 2970 mm x Height 2480 mm


B1 : Width 3960 mm x Height 1480 mm

B2 : Width 3960 mm x Height 1480 mm

Please add a **bleed margin of + 25 mm** to all edges of the file and **keep 10 cm of blank space** around all sides where there is no text or motif.



STANDARD BOOTH



Regular backwall large cabin

Dimensions:


A : Width 2970 mm x Height 2480 mm


B1 : Width 3960 mm x Height 1480 mm

B2 : Width 3960 mm x Height 1480 mm

C1+2 Sidewalls of the cabin : Width 990 mm x Height 2480 mm

Please add a **bleed margin of + 25 mm to all edges** of the file and **keep 10 cm of blank space** around all sides where there is no text or motif.





Regular backwall large cabin

Dimensions:

A : Width 2970 mm x Height 2480 mm

A1 : Width 990 mm x Height 2480 mm


A2 : Width 990 mm x Height 2480 mm

B1 : Width 3960 mm x Height 1480 mm


B2 : Width 3960 mm x Height 1480 mm

C1+2: Sidewalls of the cabin 990 x 2480 mm

Please add a **bleed margin of + 25 mm** to all **edges** of the file and **keep 10 cm of blank space around all sides** where there is no text or motif.



STANDARD BOOTH



Regular backwall small cabin

Dimensions:

A : Width 3960 mm x Height 2480 mm

A1 : Width 990 mm x Height 2480 mm

B1 : Width 3960 mm x Height 1480 mm

B2 : Width 3960 mm x Height 1480 mm

C1+C2: Sidewalls of the cabin 990 x 2480 mm

Please add a **bleed margin of + 25 mm to all edges** of the file and **keep 10 cm of blank space around all sides** where there is no text or motif.

